

Victorian Immunisation schedule November 2025

This schedule is intended as a guide only. For complete and authoritative information, a full consultation with the Australian Immunisation Handbook (AIH) is recommended.

National Immunisation Program schedule - Infants and children

Age	Disease	Vaccine	Notes
Birth	Hepatitis B	H-B-Vax-II paediatric or Engerix-B paediatric (IM)	Within 7 days of birth (ideally within 24 hours), no catch-up required
2 months (from 6 weeks)	Diphtheria-tetanus-pertussis, poliomyelitis-hepatitis B- <i>Haemophilus influenzae</i> type b	Infanrix <i>hexa</i> (IM) or Vaxelis (IM)	Rotarix: Dose 1 limited to 6-14 weeks of age, dose 2 limited to 10-24 weeks of age – Minimum intervals apply – see AIH [#]
4 months	Pneumococcal	Prevenar 20 (IM)	
	Rotavirus	Rotarix (Oral)	Bexsero: Prophylactic paracetamol recommended – see AIH [#] . Catch up available for Aboriginal [‡] children <2 years
Aboriginal[‡]	Meningococcal B	Bexsero (IM)	
6 months	Diphtheria-tetanus-pertussis-poliomyelitis-hepatitis B- <i>Haemophilus influenzae</i> type b	Infanrix <i>hexa</i> (IM) or Vaxelis (IM)	Minimum intervals apply – see AIH [#]
Aboriginal[‡]	Pneumococcal	Prevenar 20 (IM)	Additional funded dose of Prevenar 20 for all Aboriginal and Torres Strait Islander infants, medically at-risk infants for IPD* – see AIH [#]
6 months to <5 years (annually)	Influenza [†]	As supplied	Administer annually. For children aged 6 months to < 9 years receiving the vaccine for the first time, give 2 doses at least 1 month apart
12 months	Measles-mumps-rubella	Priorix or M-M-R II (IM/SC)	Bexsero: Prophylactic paracetamol recommended – see AIH [#] . Catch up available for Aboriginal [‡] children <2 years
	Meningococcal ACWY	Nimenrix (IM)	
	Pneumococcal	Prevenar 20 (IM)	
Aboriginal[‡]	Meningococcal B	Bexsero (IM)	
18 months	Measles-mumps-rubella-varicella	Priorix-tetra (IM/SC)	
	Diphtheria-tetanus-pertussis	Infanrix or Tripacel (IM)	
	<i>Haemophilus influenzae</i> type b	Act-HIB (IM/SC)	
4 years	Diphtheria-tetanus- pertussis-poliomyelitis	Infanrix IPV or Quadracel (IM)	
≥ 5 years with at-risk condition (annually)	Influenza [†]	As supplied	Administer annually. For children aged 6 months to under 9 years receiving the influenza vaccine for the first time, give 2 doses at least 1 month apart
Aboriginal[‡] ≥ 5 years (annually)			

National Immunisation Program schedule - Adolescents, adults & at-risk

Age	Disease	Vaccine	Notes
Aboriginal [†] (annually)	Influenza [†]	As supplied	Administer annually
People with at risk conditions (annually)	Influenza [†]	As supplied	Administer annually
Year 7 (or age equivalent)	Human papillomavirus (HPV)	Gardasil 9 (IM)	HPV: Single dose recommended. Not required if previously received. Catch-up for dose missed available up to 20 years (HPV up to 26 years)
	Diphtheria-tetanus-pertussis	Adacel or Boostrix (IM)	
Year 10 (or age equivalent)	Meningococcal ACWY	MenQuadfi (IM)	Catch-up for dose missed available up to 20 years
People with new diagnosis risk conditions for IPD* <i>12 months to <18 years</i>	Pneumococcal	Prevenar 20	See AIH [#] for conditions Single dose Prevenar 20 at diagnosis
People with new diagnosis risk conditions for IPD* <i>18 years and older</i>	Pneumococcal	Prevenar 13 then Pneumovax 23 (IM)	See AIH [#] for risk conditions, vaccine doses and timing
All people with asplenia, hyposplenia, complement deficiency and treatment with eculizumab	Meningococcal ACWY	Nimenrix (IM)	See AIH [#] for required doses and timing
	Meningococcal B	Bexsero (IM)	
>5 years with asplenia or hyposplenia	<i>Haemophilus influenzae</i> type b (HiB)	Act-HiB (IM)	If incompletely vaccinated or not vaccinated in childhood
People ≥18 years at increased risk of herpes zoster due to underlying conditions or immunosuppressive treatments	Shingles (Herpes Zoster)	Shingrix (IM)	See AIH [#] for required doses, timing and NIP funding for risk groups recommended for vaccine
People < 20 years of age Refugees, humanitarian entrants of any age	Age-appropriate NIP vaccine catch-up	As supplied	See AIH [#] for age-appropriate schedules
Pregnant people	Influenza [†]	As supplied	Influenza [†] : Any trimester
	Pertussis (whooping cough)	Adacel or Boostrix (IM)	Pertussis: Each pregnancy between 20-32 weeks gestation
	Respiratory Syncytial Virus (RSV)	Abrysvo (IM)	RSV: 28-36 weeks gestation
Aboriginal [†] ≥50 years	Pneumococcal	Prevenar 13 then Pneumovax 23 (IM)	See AIH [#] for required doses and timing
	Shingles (Herpes Zoster)	Shingrix (IM)	
People ≥ 65 years	Influenza [†]	As supplied	Administer annually
People ≥ 65 years	Shingles (Herpes Zoster)	Shingrix (IM)	See AIH [#] for required doses and timing
From 70 years	Pneumococcal	Prevenar 13 (IM)	

- The National Immunisation Programme (NIP) provides free vaccines to infants, children, adolescents, and adults eligible for Medicare.
- Individuals < 20 years can receive catch-up NIP vaccines missed in childhood, except HPV, which is free up to age 25.
- Refugees and humanitarian entrants of any age are eligible for catch-up vaccines for: diphtheria–tetanus–pertussis, varicella, poliomyelitis, measles–mumps–rubella, hepatitis B, and HPV (up to age 25).
- The number and type of catch-up doses vary by age. Refer to the Australian Immunisation Handbook for details.

Victorian Government funded immunisation programs

This information is provided as a general guide only. Vaccine funding and eligibility criteria are determined by the Victorian Government and may change over time. For the most current and detailed information, refer to the **Victorian Immunisation Schedule** and the **Australian Immunisation Handbook (AIH)**.

Disease	Vaccine	Age/at risk conditions
Tuberculosis (BCG)	As supplied (ID)	<ul style="list-style-type: none"> • BCG for infants & children under 5 years of age travelling to TB endemic countries. See AIH[#] for dosing and vaccination procedures
Measles-mumps-rubella	As supplied (IM/SC)	<ul style="list-style-type: none"> • Infants from 6 months and before 11 months of age prior to overseas travel. This dose is in addition to the scheduled MMR vaccine doses recommended at ages 12 (MMR) and 18 months (MMRV) • People born during or since 1966 without documented evidence of 2 valid doses or serological immunity
Age-appropriate NIP vaccine catch-up	As supplied	<ul style="list-style-type: none"> • Vulnerable citizens – a person who has experienced socioeconomic disadvantage that compromised their equitable access to the vaccine during their period of eligibility. See AIH[#] for required doses and schedule
Hepatitis B	As supplied (paediatric or adult) (IM)	<ul style="list-style-type: none"> • Eligible people at risk – Refer to the Victorian Immunisation schedule and vaccine eligibility criteria online
Japanese encephalitis	As supplied	<ul style="list-style-type: none"> • Eligible people at risk – refer to Department of Health Japanese encephalitis and vaccine eligibility criteria online
Mpox	JYNNEOS	<ul style="list-style-type: none"> • Eligible people at risk – refer to Department of Health Mpox and vaccine eligibility criteria online
Rabies	As supplied	<ul style="list-style-type: none"> • Australian volunteer wildlife handlers working in a volunteer service in Victoria for the initial course of pre-exposure rabies vaccine • Post exposure treatment for rabies or Australian Bat Lyssavirus • See AIH[#] for required doses and schedule
Respiratory Syncytial Virus (RSV)	Immunisation product - Monoclonal antibody Beyfortus™ (nirsevimab) (IM)	<ul style="list-style-type: none"> • Available during Victoria's RSV season - April to September • Refer to Department of Health RSV immunisation and the AIH[#] RSV chapter – newborn, infants, and children with risk conditions for RSV disease

***IPD**: Invasive pneumococcal disease. **#AIH**: Online Australian Immunisation Handbook. **†Influenza**: For information on age-appropriate vaccines or specified medical risk conditions refer to the AIH[#] or the annual ATAGI advice on seasonal Influenza vaccines. **‡Aboriginal**: The term Aboriginal is inclusive of Aboriginal and Torres Strait Island people.

Further information

The Australian Immunisation Handbook: <https://immunisationhandbook.health.gov.au>

Victorian Immunisation Schedule: <https://www.health.vic.gov.au/immunisation/immunisation-schedule-victoria-and-vaccine-eligibility-criteria>

Shingles vaccination: <https://www.health.gov.au/resources/publications/national-immunisation-program-shingles-vaccination-program-advice-for-health-professionals-september-2024?language=en>

RSV immunisation: <https://www.health.vic.gov.au/immunisation/respiratory-syncytial-virus-immunisation>

Japanese encephalitis: <https://www.health.vic.gov.au/infectious-diseases/japanese-encephalitis>

Mpox: <https://www.health.vic.gov.au/infectious-diseases/mpox-monkeypox>

Ordering vaccines: <https://www.health.vic.gov.au/immunisation/ordering-vaccines>

Cold chain management: <https://www.health.vic.gov.au/immunisation/cold-chain-management>

Australian Immunisation Register: 1800 653 809

SAEFVIC – Victoria’s vaccine safety service: 1300 882 924 #1

To receive this document in another format, email Immunisation Program immunisation@health.vic.gov.au.

Authorised and published by the Victorian Government, 1 Treasury Place, Melbourne. © State of Victoria, Australia, Department of Health, November 2025.

Available at Immunisation schedule Victoria and vaccine eligibility criteria

<<https://www.health.vic.gov.au/immunisation/immunisation-schedule-victoria-and-vaccine-eligibility-criteria> >