Planning permit applications in open, potable water supply catchment areas

November 2012



Published by the Victorian Government Department of Sustainability and Environment Melbourne November 2012

 $\ensuremath{\mathbb{O}}$ The State of Victoria Department of Sustainability and Environment 2012

This publication is copyright. No part may be reproduced by any process except in accordance with the provisions of the *Copyright Act 1968*.

Authorised by the Victorian Government, 8 Nicholson Street, East Melbourne.

Print managed by Finsbury Green. Printed on recycled paper.

ISBN 978-1-74287-724-2 (print) ISBN 978-1-74287-725-9 (online)

For more information contact the DSE Customer Service Centre 136 186 $\,$

This document is also available in PDF format on the internet at

www.dse.vic.gov.au

Disclaimer

This publication may be of assistance to you but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate for your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Accessibility

If you would like to receive this publication in an accessible format, such as large print or audio, please telephone 136 186, or email customer.service@dse.vic.gov.au

Deaf, hearing impaired or speech impaired? Call us via the National Relay Service on 133 677 or visit www.relayservice.com.au

Planning permit applications in open, potable water supply catchment areas

As Minister administering the *Water Act* 1989, I issue the following Guidelines to assist water corporations and other referral and responsible authorities in their assessment of planning permit applications for use and development of land within all open, potable water supply catchments in Victoria. These Guidelines have been adopted for the purposes of s.60(1A)(g) of the Planning and Environment Act 1987.

Peter Walsh MLA

Minister for Water

Purpose of the Guidelines

The purpose of the Guidelines is to protect the quality of potable water supplies, using a risk based approach, whilst facilitating appropriate development within these catchments.

Where do these guidelines apply?

These guidelines apply to all open potable water supply catchments declared to be special water supply catchment areas under Division 2 of Part 4 of the Catchment and Land Protection Act 1994. Schedule 5 of the Act lists the special water supply catchment areas declared as at 1994. To find out all current declarations and which special water supply catchment areas are open potable water supply catchments and their location, contact the relevant local water corporation.

What is an open, potable water supply catchment?


A potable water supply catchment provides water resources to a reservoir (or water storage) used for domestic water supply purposes1. There are two types of potable water supply catchments. An 'open' catchment is where part or all of the catchment area is in private ownership and access to the catchment is unrestricted. A 'closed' catchment means that the whole of the catchment area is publicly owned and public access is prohibited.

Water corporations may influence development and land use through the strategic and statutory planning process, as they do not have direct control over land in open. potable water supply catchments. However, because of the risks to public health, all use and development should be sited and managed to protect the quality of water collected from the catchment.

Most water supply catchment areas have a long history of regulation aimed to protect public health by maintaining acceptable levels of water quality flowing into, and stored in, the water storage. This has protected communities from waterborne diseases and the need for excessive chemical treatment.

All land users within catchments need to be aware of the potential effect of their activities on water quality. Residential development and agriculture particularly have the potential to impact adversely on water quality through the discharge of contaminated run-off and wastes, nutrient contributions or sediment to waterways. These key sources of pollutants present different levels of risk to catchments and are the focus of these guidelines.

¹ The catchment and/or reservoir or water storage may also be used for irrigation purposes.



What State planning and environmental policy applies to open, potable water supply catchment areas?

The importance of water quality and water catchments is specifically addressed in Clause 14.02 in the State Planning Policy Framework in all planning schemes. In this clause it is State planning policy to:

- Protect reservoirs, water mains and local storage facilities from potential contamination.
- Ensure that land use activities potentially discharging contaminated runoff or wastes to waterways are sited and managed to minimise such discharges and to protect the quality of surface water and groundwater resources, rivers, streams, wetlands, estuaries and marine environments.
- Discourage incompatible land use activities in areas subject to flooding, severe soil degradation, groundwater salinity or geotechnical hazards where the land cannot be sustainably managed to ensure minimum impact on downstream water quality or flow volumes.

Clause 19.03 of the State Planning Policy Framework adopts the strategy:

• Ensure water quality in water supply catchments is protected from possible contamination by urban, industrial and agricultural land uses.

Section 53M of the *Environment Protection Act 1970* provides that a municipal council must refuse a permit if a proposed onsite waste water/septic tank system is contrary to any State environment protection policy or waste management policy. The State Environment Protection Policy (Waters of Victoria) (**SEPP**) adopts the precautionary principle as a principle that should guide decisions about the protection and management of Victoria's surface waters when considering a permit for a septic tank system. Clause 32 of the SEPP specifies EPA's expectations in relation to on-site domestic wastewater management, and the EPA provides further guidance in relation to onsite treatment systems (EPA Publication 891, Code of Practice – Onsite Waste Water Management, as updated or replaced).

The proper application of the precautionary principle requires consideration of the cumulative risk of the adverse impact of onsite waste water/ septic tank systems on water quality, in open potable water supply catchments, resulting from increased dwelling density.

The importance of water catchments is also reflected in the special area plans prepared by Catchment Management Authorities, under Division 2 of Part 4 of the *Catchment and Land Protection Act 1994*. These plans assess the land and water resources of catchments in a region and identify objectives and strategies for improving the quality of those resources; they are also able to direct land use activities in a catchment. It is State Planning Policy (Clause 14.02-1) that planning authorities must have regard to relevant aspects of:

- any regional catchment strategies approved under the Catchment and Land Protection Act 1994 and any associated implementation plan or strategy, including any regional river health and wetland strategies;
- any special area plans prepared under the *Heritage Rivers Act 1992* and approved under the *Catchment and Land Protection Act 1994*; and
- these Guidelines.

For information about any special area or catchment management plans that have been prepared for catchments in your region, contact the regional office of the relevant catchment management authority.

Water corporations, in consultation with other stakeholders, may also prepare a water Catchment Policy, water catchment risk assessment or similar project to address land use planning issues and the cumulative impact of onsite waste water/septic tank systems in a catchment area (Catchment Policy).

These policies can assist in:

- guiding appropriate land use and development within a catchment area, including the location of and conditions on particular land use and development: and
- Determining the areas where Domestic Wastewater Management of existing systems requires additional focus due to the existence of onsite wastewater

Through strategic land use planning and with reference to special area plans and Catchment Polices, areas and causes of greatest risk can be identified and risk based management responses determined.

The guidelines

Each of these guidelines must be addressed where a planning permit is required to use land for a dwelling or to subdivide land.

Guideline 1: Density of dwellings

Where a planning permit is required to use land for a dwelling or to subdivide land or where a planning permit to develop land is required pursuant to a schedule to the Environmental Significance Overlay that has catchment or water quality protection as an objective:

- the density of dwellings should be no greater than one dwelling per 40 hectares (1:40 ha); and
- each lot created in the subdivision should be at least 40 hectares in area.

This does not apply where:

Category 1

A planning permit is not required to use land for a dwelling, to subdivide land or to develop land pursuant to a schedule to the Environmental Significance Overlay that has catchment or water quality protection as an objective.

Category 2

A permit is required to use land for a dwelling, to subdivide land or to develop land pursuant to a schedule to the Environmental Significance Overlay that has catchment and water quality protection as an objective but the proposed development will be connected to reticulated sewerage.

Category 3

A Catchment Policy has been prepared for the catchment and endorsed by the relevant water corporation following consultation with relevant local governments, government agencies and affected persons. The proposed development must be consistent with the Catchment Policy. Or,

The water corporation will consider allowing a higher density of development than would otherwise be permitted by Guideline 1 where:

Category 4

All of the following conditions are met:

- the minimum lot size area specified in the zone for subdivision is met in respect of each lot;
- · the water corporation is satisfied that the relevant Council has prepared, adopted and is implementing a Domestic Wastewater Management Plan (DWMP) in accordance with the DWMP Requirements; and
- the proposal does not present an unacceptable risk to the catchment having regard to:
 - » the proximity and connectivity of the proposal site to a waterway or a potable water supply source (including reservoir);
 - » the existing condition of the catchment and evidence of unacceptable water quality impacts
 - » the quality of the soil;
 - » the slope of the land;
 - » the link between the proposal and the use of the land for a productive agricultural purpose;
 - » the existing lot and dwelling pattern in the vicinity of
 - » any site remediation and/or improvement works that form part of the application; and
 - » the intensity or size of the development or use proposed and the amount of run-off that is likely to be generated.

Note: this requires analysis in addition to a land capability assessment required pursuant to Guideline 2.

Domestic Wastewater Management Plan Requirements

A DWMP will be considered an acceptable basis for a relaxation of Guideline 1 (as set out above) where the following requirements in relation to the DWMP are satisfied.

These requirements incorporate and build upon (but do not displace) Council responsibilities for developing DWMPs as set out in clause 32(2)(e) of the SEPP.

The DWMP must be prepared or reviewed in consultation with all relevant stakeholders including:

- other local governments with which catchment/s are shared;
- EPA; and
- local water corporation/s.

The DWMP must comprise a strategy, including timelines and priorities, to:

- prevent discharge of wastewater beyond property boundaries; and
- prevent individual and cumulative impacts on groundwater and surface water beneficial uses.

The DWMP must provide for:

- the effective monitoring of the condition and management of onsite treatment systems, including but not limited to compliance by permit holders with permit conditions and the Code;
- the results of monitoring being provided to stakeholders as agreed by the relevant stakeholders;
- enforcement action where non-compliance is identified;
- a process of review and updating (if necessary) of the DWMP every 5 years;
- independent audit by an accredited auditor (water corporation approved) of implementation of the DWMP, including of monitoring and enforcement, every 3 years;
- the results of audit being provided to stakeholders as soon as possible after the relevant assessment; and
- councils are required to demonstrate that suitable resourcing for implementation, including monitoring, enforcement, review and audit, is in place.

Guideline 2: Effluent disposal and septic tank system maintenance

The Environment Protection Act 1970, the SEPP, EPA Publication 891, Code of Practice – Onsite Waste Water Management (as updated or replaced), and other EPA publications and Australian standards regulate and guide the accreditation, installation and management of onsite treatment systems for the collection, treatment and disposal or reuse of wastewater.

Any application for a planning permit must demonstrate that a proposed use, development or subdivision of land to which these Guidelines apply will comply with all applicable laws and guidelines, including the need to obtain a Council permit under the *Environment Protection Act 1970* for the installation of an onsite wastewater management system and associated systems.

Guideline 3: Vegetated corridors and buffer zones along waterways

Planning and responsible authorities should encourage the retention of natural drainage corridors with vegetated buffer zones at least 30 metres wide along waterways. This will maintain the natural drainage function, minimise erosion of stream banks and verges and reduce polluted surface run-off from adjacent land uses.

Guideline 4: Buildings and works

Buildings and works (including such things as land forming and levee bank construction) should not be permitted to be located on effluent disposal areas, to retain full soil absorption and evaporation capabilities, and should be setback at least 30 metres from waterways to minimise erosion and sediment, nutrient and salinity-related impacts.

Appropriate measures should be used to restrict sediment discharges from construction sites in accordance with Construction Techniques for Sediment Pollution Control, Environment Protection Authority, 1991 and Environmental Guidelines for Major Construction Sites, Environment Protection Authority, 1995.

Guideline 5: Agricultural activities

To prevent the pollution of waterways and damage to streamside vegetation (which contributes to bed and bank stability and filters overland flows entering the stream), stock access to waterways should be minimised.

Stocking rates should take into account the capabilities of the land to sustain grazing and the potential impact of overstocking on the catchment.

Reductions in agricultural and veterinary chemicals runoff should be encouraged by improved management of rates and frequencies of application.

The inappropriate disposal of fuel and fuel containers, the disposal of dead animals, the treatment and disposal of effluent from intensive agricultural industries, and the delivery and storage of chemicals are some of the other agricultural activities which can pose a risk to water quality. Intensive animal industry is a scheduled (regulated) activity under the Environment Protection (Scheduled Premises and Exemptions) Regulations 2007.

If a property owner proposes to build a farm dam for commercial or irrigation purposes in an open, potable water catchment, an application for a licence must be made under Section 51 of the *Water Act 1989*. The application for a licence must be made to the relevant Rural Water Corporation.

| Kind of application | Referral authority |
|--|--|
| To use or develop land for a cattle feedlot. | Minister for Agriculture. If the site is located within a special water supply catchment area under the <i>Catchment and Land Protection Act 1994</i> , the relevant water corporation under the <i>Water Act 1989</i> and the Secretary to the Department administering the <i>Catchment and Land Protection Act 1994</i> . If the number of cattle is 5,000 or more, the Environment Protection Authority. |
| To use, subdivide or consolidate land, to construct a building or to construct or carry out works, or to demolish a buildings or works that are within a Special Water Supply Catchment Area listed in Schedule 5 of the <i>Catchment and Land Protection Act 1994</i> and which provides water to a domestic water supply. This does not apply to an application for a sign, fence, roadworks or unenclosed building or works ancillary to a dwelling. | The relevant water board or water supply. Authority (referred to as "water corporation" throughout these Guidelines). |
| To use or develop land for extractive industry in Special Areas declared under s.27 of the Catchment and Land Protection Act 1994. | Secretary to the Department administering the Catchment and Land Protection Act 1994. |

Other provisions of the planning scheme may also require referrals for other reasons.







flickr.com/DSEVictoria

www.dse.vic.gov.au